



SENTINEL®
Connector Systems Inc.

DATAMAX CATEGORY 6A CABLES

9/5/2019

Type	AWG	Shielding	Rating	Spline	Series	Sentinel Part Number
Patch Cat 6A	26 Stranded (7x34) .235" OD	F/UTP	CMR	Yes	2942 (BLACK), 2943 (BROWN), 2944 (RED), 2945 (ORANGE), 2946 (YELLOW), 2947 (GREEN), 2948 (BLUE), 2949 (VIOLET), 2950 (GRAY), 2951 (WHITE), 2952 (BEIGE), 2953 (PINK), 2991 (AQUA)	111S08080095LA4
Relaxed Patch Cat 6A	26 Stranded (7x34) .228" OD	F/UTP	CMR	No	2246 (BLACK), 2247 (BROWN), 2248 (RED), 2249 (ORANGE), 2250 (YELLOW), 2251 (GREEN), 2252 (BLUE), 2253 (VIOLET), 2254 (GRAY), 2255 (WHITE), 2256 (BEIGE), 2257 (PINK), 2258 (AQUA)	111S08080095LA4
Patch Cat 6A	26 Stranded (7x34) .265" OD	F/UTP	LSZH	Yes	2978 (BLACK), 2979 (BROWN), 2980 (RED), 2981 (ORANGE), 2982 (YELLOW), 2983 (GREEN), 2984 (BLUE), 2985 (VIOLET), 2986 (GRAY), 2987 (WHITE), 2988 (BEIGE), 2989 (PINK)	111S08080095HA4
Patch Cat 6A	26 Stranded (7x30069) .291" OD Double Jacketed	U/UTP	CMR	No	2954 (BLACK), 2955 (BROWN), 2956 (RED), 2957 (ORANGE), 2958 (YELLOW), 2959 (GREEN), 2960 (BLUE), 2961 (VIOLET), 2962 (GRAY), 2963 (WHITE), 2964 (BEIGE), 2965 (PINK)	111-08080095LA4



SENTINEL®
Connector Systems Inc.

DATAMAX CATEGORY 6A CABLES (con't)

9/5/2019

Type	AWG	Shielding	Rating	Spline	Series	Sentinel Part Number
Patch Cat 6A	28 Stranded (7x36) .186" OD	F/UTP	CMR	No	2231 (BLACK), 2232 (BROWN), 2233 (RED), 2234 (ORANGE), 2235 (YELLOW), 2236 (GREEN), 2237 (BLUE), 2238 (VIOLET), 2239 (GRAY), 2240 (WHITE), 2241 (BEIGE), 2242 (LIGHT BLUE), 2243 (PINK), 2244 (AQUA), 2245 (LIME GREEN)	111S080800F3LA4*
Patch Cat 6A	28 Stranded (7x36) .190" OD	F/UTP	LSZH	No	2270 (BLACK), 2271 (RED), 2272 (ORANGE), 2273 (YELLOW), 2274 (GREEN), 2275 (BLUE), 2276 (VIOLET), 2277 (GRAY), 2278 (WHITE)	111S080800F3LA4*
Patch Cat 6A	28 Stranded (7x36) .186" OD	F/UTP	CMP	No	2034 (BLACK), 2035 (BROWN), 2036 (RED), 2037 (ORANGE), 2038 (YELLOW), 2039 (GREEN), 2040 (BLUE), 2041 (VIOLET), 2042 (GRAY), 2043 (WHITE), 2044 (STARLIGHT BEIGE)	111S080800F3LA4*

* Requires B00067L Boot for Proper Strain Relief



SENTINEL®
Connector Systems Inc.

DATAMAX CATEGORY 6 CABLES

9/5/2019

Type	AWG	Shielding	Rating	Spline	Series	Sentinel Part Number
Patch Cat 6	24 Stranded (7x32) .220" OD	U/UTP	CMR	No	2200 (BLACK), 2201 (BROWN), 2202 (RED), 2203 (ORANGE), 2204 (YELLOW), 2205 (GREEN), 2206 (BLUE), 2207 (VIOLET), 2208 (GRAY), 2209 (WHITE), 2210 (BEIGE), 2211 (LIGHT BLUE), 2212 (PINK), 2213 (AQUA), 2215 (LIME)	111-08080054L34
Patch Cat 6	24 Stranded (7x32) .231" OD	U/UTP	LSZH	No	1300 (BLACK), 1301 (BROWN), 1302 (RED), 1303 (ORANGE), 1304 (YELLOW), 1305 (GREEN), 1306 (BLUE), 1307 (VIOLET), 1308 (GRAY), 1309 (WHITE), 1310 (BEIGE), 1312 (PINK)	111-08080054L34
Patch Cat 6	26 Stranded (7x34) .235" OD	F/UTP	CMR	Yes	2930 (BLACK), 2931 (BROWN), 2932 (RED), 2933 (ORANGE), 2934 (YELLOW), 2935 (GREEN), 2936 (BLUE), 2937 (VIOLET), 2938 (GRAY), 2939 (WHITE), 2940 (BEIGE), 2941 (PINK)	111S08080054L34
Patch Cat 6	26 Stranded (7x34) .265" OD	F/UTP	LSZH	Yes	2966 (BLACK), 2967 (BROWN), 2968 (RED), 2969 (ORANGE), 2970 (YELLOW), 2971 (GREEN), 2972 (BLUE), 2973 (VIOLET), 2974 (GRAY), 2975 (WHITE), 2976 (BEIGE), 2977 (PINK)	111S08080054L34



SENTINEL®
Connector Systems Inc.

DATAMAX CATEGORY 6 CABLES (con't)

9/5/2019

Type	AWG	Shielding	Rating	Spline	Series	Sentinel Part Number
Patch Cat 6	28 Stranded (7x36) .150" OD	U/UTP	CMR	No	2216 (BLACK), 2217 (BROWN), 2218 (RED), 2219 (ORANGE), 2220 (YELLOW), 2221 (GREEN), 2222 (BLUE), 2223 (VIOLET), 2224 (GRAY), 2225 (WHITE), 2226 (BEIGE), 2227 (LIGHT BLUE), 2228 (PINK), 2229 (AQUA), 2230 (LIME GREEN)	111-080800B5LA4**
Patch Cat 6	28 Stranded (7x36) .150" OD	U/UTP	LSZH	No	2260 (BLACK), 2261 (RED), 2262 (ORANGE), 2263 (YELLOW), 2264 (GREEN), 2265 (BLUE), 2266 (VIOLET), 2267 (GRAY), 2268 (WHITE), 2269 (PINK)	111-080800B5LA4**
Patch Cat 6	28 Stranded (7x36) .186" OD	F/UTP	CMP	No	2045 (BLACK), 2046 (BROWN), 2047 (RED), 2048 (ORANGE), 2049 (YELLOW), 2050 (GREEN), 2051 (BLUE), 2052 (VIOLET), 2053 (GRAY), 2054 (WHITE), 2055 (STARLIGHT BEIGE)	111S080800F3LA4*

* Requires B00067L Boot for Proper Strain Relief

** Requires B00058L Boot for Proper Strain Relief



SENTINEL®
Connector Systems Inc.

DATAMAX CATEGORY 5e CABLES

9/5/2019

Type	AWG	Shielding	Rating	Spline	Series	Sentinel Part Number
Patch Cat 5e	24 Stranded (7x32) .215" OD	U/UTP	CMR	No	5500 (BLACK), 5501 (BROWN), 5502 (RED), 5503 (ORANGE), 5504 (YELLOW), 5505 (GREEN), 5506 (BLUE), 5507 (VIOLET), 5508 (GRAY), 5509 (WHITE), 5510 (BEIGE), 5511 (LIGHT BLUE), 5512 (PINK), 5515 (LIME GREEN)	106-080800-34
Patch Cat 5e	24 Stranded (7x32) .223" OD	U/UTP	LSZH	No	1200 (BLACK), 1201 (BROWN), 1202 (RED), 1203 (ORANGE), 1204 (YELLOW), 1205 (GREEN), 1206 (BLUE), 1207 (VIOLET), 1208 (GRAY), 1209 (WHITE), 1210 (BEIGE), 1212 (PINK), 1215 (LIME GREEN)	111-08080028-34
Patch Cat 5e	26 Stranded (7x34) .222" OD	F/UTP	CMR	No	2900 (BLACK), 2901 (BROWN), 2902 (RED), 2903 (ORANGE), 2904 (YELLOW), 2905 (GREEN), 2906 (BLUE), 2907 (VIOLET), 2908 (GRAY), 2909 (WHITE), 2910 (BEIGE), 2912 (PINK)	111S08080028-34
Patch Cat 5e	26 Stranded (7x34) .222" OD	F/UTP	LSZH	No	2800 (BLACK), 8 (BROWN), 2802 (RED), 2803 (ORANGE), 2804 (YELLOW), 2805 (GREEN), 2806 (BLUE), 2807 (VIOLET), 2808 (GRAY), 2809 (WHITE), 2810 (BEIGE)	111S08080028-34
Patch Cat 5e	26 Stranded (7x34) .226" OD	F/UTP	CMR	No	2510 (BLUE), 2511 (WHITE), 2512 (BEIGE), 2514 (YELLOW)	111S08080028-34